

# PEGA RACK AND PINION INDUSTRIAL ELEVATOR

PIONEER IN INNOVATION

QUALITY – RELIABILITY – USER FRIENDLY

- PEGA "PLC" - Programmable Landing Control for exact stop without floor ramps.
- PEGA "LDS" - Load Detection System for lower power consumption.
- PEGA "FIS" - Fault Indication System for simply fault identification.

## PEGA IL 1620 TD VFC

### TECHNICAL DATA

Payload capacity	kg	2000
Passengers		20
Speed	m/min	0-60
Lifting height	m	200
Tie spacing	m	4,5 - 15

### CAR DIMENSIONS


Internal width x length	m	1,5 x 2,0
Internal height	m	2,2
Door opening	m	1,2 x 2,0

### ELECTRICAL DATA

Power supply range	400V 50Hz 3Ph
Power supply fuse	63A
Motor machinery	PEGA/SEW
Starting current	59A
Power consumption	71kVA

### WEIGHTS

Car weight	kg	2600
Mast section with 1 rack P/A	kg	115/125
Mast section length	m	1,508



### GENERAL

The lift is equipped with frequency controlled drive and programmable control system. Different masts and tie systems to meet all kind of application demands. Car/landing doors automatic with electrical and mechanical inter-locks certified/approved. Single or selective collective automatic control system, emergency lowering system. The above specification may vary based on country and region of delivery.

**Norms and regulations:** EN 12159 or EN 81-1 (Directive 2006/42/EC)

### CONTROL SYSTEM

Push button control, floor call system.

**CONSULT - SALE - SERVICE**

#### PEGA HOIST Ltd.

Fáblovka 547  
CZ – 533 52 Pardubice  
Tel.: +420 466 536 348-50  
Fax.: +420 466 536 351  
E-mail: info@pega-hoist.com  
www.pega-hoist.com

PEGA  
SUCCESSFULLY  
COMPLETED THE  
WORLD HIGHEST  
BUILDING  
BURJ DUBAI



**PEGA**